

Prepared for:

Wolf Sciences

30403 Kings Valley Drive Suite 1-116
Conifer, CO USA 80433

ATX Organics - Anytime

Batch ID or Lot Number: 230910-A	Test: Potency	Reported: 19Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000256230	Started: 15Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.308	0.996	ND	ND	# of Servings = 1, Sample Weight=3.9g
Cannabichromenic Acid (CBCA)	0.282	0.911	ND	ND	
Cannabidiol (CBD)	1.203	2.759	51.220	13.10	
Cannabidiolic Acid (CBDA)	1.234	2.830	ND	ND	
Cannabidivarin (CBDV)	0.284	0.652	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.515	1.180	ND	ND	
Cannabigerol (CBG)	0.175	0.566	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.731	2.365	ND	ND	
Cannabinol (CBN)	0.228	0.738	ND	ND	
Cannabinolic Acid (CBNA)	0.499	1.614	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.871	2.817	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.791	2.559	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.701	2.267	ND	ND	
Tetrahydrocannabivarin (THCV)	0.159	0.515	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.618	2.000	ND	ND	
Total Cannabinoids			51.220	13.10	
Total Potential THC			ND	ND	
Total Potential CBD			51.220	13.10	

Final Approval



Karen Winternheimer
19Sep2023
12:11:00 PM MDT

PREPARED BY / DATE



Sam Smith
19Sep2023
12:13:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/7ea1d816-91ad-401a-a7b5-b3e7dd15e8c3>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
7ea1d81691ad401aa7b5b3e7dd15e8c3.1